

CLASS – 10

CHAPTER -10 Circles

Introduction to Circles


Circle and line in a plane

For a circle and a line on a plane, there can be **three** possibilities.

i) they can be **non-intersecting**

ii) they can have **a single common point**: in this case, the line touches the circle.


iii) they can have **two common points**: in this case, the line cuts the circle.



(i) Non intersecting (ii) Touching (iii) Intersecting

Tangent


A **tangent to a circle** is a line which touches the circle at exactly one point. For every point on the circle, there is a unique tangent passing through it.



Tangent


Secant

A **secant to a circle** is a line which has two points in common with the circle. It cuts the circle at two points, forming a chord of the circle.



Secant

Tangent as a special case of Secant




Tangent as a special case of Secant

The tangent to a circle can be seen as a special case of the secant when the two endpoints of its corresponding chord coincide.

Two parallel tangents at most for a given secant

For every given **secant** of a circle, there are **exactly two tangents** which are **parallel** to it and touches the circle at two **diametrically opposite points**.




Parallel tangents

Theorems

Tangent perpendicular to the radius at the point of contact

Theorem: The theorem states that “the **tangent** to the circle at any point is the **perpendicular to the radius** of the circle that passes through the point of contact”.



Tangent and radius


Here, O is the centre and $OP \perp XY$.

The number of tangents drawn from a given point

i) If the point is in an **interior region of the circle**, any line through that point will be a secant. So, **no tangent** can be drawn to a circle which passes through a point that lies inside it.


AB is a secant drawn through the point S

ii) When a point of tangency lies on the circle, there is **exactly one tangent** to a circle that passes through it.



A tangent passing through a point lying on the circle


iii) When the point lies outside of the circle, there are **accurately two tangents** to a circle through it



Tangents to a circle from an external point


Length of a tangent

The length of the tangent from the point (Say P) to the circle is defined as the segment of the tangent from the external point P to the point of tangency I with the circle. In this case, PI is the tangent length.



Lengths of tangents drawn from an external point

Theorem: Two tangents are of equal length when the tangent is drawn from an external point to a circle.



Tangents to a circle from an external point

$$PT_1 = PT_2$$